

CASWELL INC

Safety Data Sheet Grey BL Dye

SECTION 1: Identification

1.1 Product identifier

Product name	Grey BL Dye	
Product number	DYEGBL	
Brand	Caswell	

1.3 Recommended use of the chemical and restrictions on use Dye for aluminum

1.4 Supplier's details

Name Address	Caswell Inc 7696 Route 31 Lyons NY 14489 USA
Telephone	315 946 1213
Fax	315 946 4456
email	sales@caswellplating.com

1.5 Emergency phone number(s)

Office Hours (9-4ET): 315 946 1213 24 Hour: CHEMTEL US# 1-800-255-3924 Intl# +01-813-248-0585

SECTION 2: Hazard identification

2.1 Classification of the substance or mixture

GHS classification in accordance with: (US) OSHA (29 CFR 1910.1200)

- Acute toxicity, oral (chapter 3.1), Cat. 4

2.2 GHS label elements, including precautionary statements

Pictogram

Signal word	Warning
Hazard statement(s) H302	Harmful if swallowed
Precautionary statement(s)	
P264	Wash thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P301+P312	IF SWALLOWED: Call a POISON CENTER/doctor//if you feel unwell,
P330	Rinse mouth.
P501	Dispose of contents/container to

SECTION 3: Composition/information on ingredients

3.1 Substances

1. Component 1 (trade secret)* Concentration	90 - 100 %
2. Sodium acetate trihydrate Concentration CAS no.	10 - 25 % 6131-90-4
3. CHROMIUM Concentration CAS no.	1 - 5 % 7440-47-3

Trade secret statement (OSHA 1910.1200(i))

In accordance with paragraph (i) of ss. 1910.1200, the specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

SECTION 4: First-aid measures

4.1 Description of necessary first-aid measures

General advice	Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.
In case of skin contact	Rinse with plenty of water. Get medical attention if irritation develops and persists.
In case of eye contact	Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Drink 1 or 2 glasses of water. Do NOT induce vomiting. Get medical attention immediately if symptoms occur.

Personal protective equipment for first-aid responders Refer to section 8

- **4.2 Most important symptoms/effects, acute and delayed** not established
- **4.3 Indication of immediate medical attention and special treatment needed, if necessary** not established

SECTION 5: Fire-fighting measures

- 5.1 Suitable extinguishing media Any available
- 5.2 Specific hazards arising from the chemical not established
- **5.3** Special protective actions for fire-fighters Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Ensure adequate ventilation. Use personal protective equipment. For personal protection see section 8.
- 6.2 Environmental precautions

Avoid release to environment

6.3 Methods and materials for containment and cleaning up

SMALL SPILLS: Contain and absorb with absorbent material and place into containers for later disposal. Wash site of spillage thoroughly with water. LARGE SPILLS: Dike far ahead of spill to prevent further movement. Recover by pumping or by using a suitable absorbent material and place into containers for later disposal. Dispose in suitable waste container.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

7.2 Conditions for safe storage, including any incompatibilities not established

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

1. Chromium (II) compounds (as Cr) (CAS: 7440-47-3) PEL (Inhalation): 0.5 mg/m3 (OSHA) OSHA Annotated Table Z-1, www.osha.gov

Safety Data Sheet Grey BL Dye

PEL (Inhalation): 0.5 mg/m3 (Cal/OSHA) OSHA Annotated Table Z-1, www.osha.gov

REL (Inhalation): 0.5 mg/m3, See Appendix C (NIOSH) OSHA Annotated Table Z-1, www.osha.gov

2. Chromium (III) compounds (as Cr) (CAS: 7440-47-3)

PEL (Inhalation): 0.5 mg/m3 (OSHA) OSHA Annotated Table Z-1, www.osha.gov

PEL (Inhalation): 0.5 mg/m3 (Cal/OSHA) OSHA Annotated Table Z-1, www.osha.gov

REL (Inhalation): 0.5 mg/m3, See Appendix C (NIOSH) OSHA Annotated Table Z-1, www.osha.gov

3. Chromium metal and insol. salts (as Cr) (CAS: 7440-47-3)

PEL (Inhalation): 1 mg/m3 (OSHA) OSHA Annotated Table Z-1, www.osha.gov

PEL (Inhalation): 0.5 mg/m3 (Cal/OSHA) OSHA Annotated Table Z-1, www.osha.gov

REL (Inhalation): 0.5 mg/m3, See Appendix C (NIOSH) OSHA Annotated Table Z-1, www.osha.gov

8.2 Appropriate engineering controls

General industrial hygiene practice.

8.3 Individual protection measures, such as personal protective equipment (PPE)



Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Wear chemical resistant gloves and clothing.

Body protection

Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

NIOSH/MSHA approved air purifying respirator with an organic vapor cartidge or canister may be permissable under certain circumstances where airborne concentrations are expected to exceed exposure limits.

Thermal hazards not established

Environmental exposure controls not established

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance/form (physical state, color, etc.) Odor Odor threshold pH Melting point/freezing point Initial boiling point and boiling range Flash point Evaporation rate Flammability (solid, gas) Upper/lower flammability limits Vapor pressure Vapor density Relative density Solubility(ies) Partition coefficient: n-octanol/water Auto-ignition temperature Decomposition temperature Viscosity Explosive properties	Grey Liquid None not established 4 not established not established
Viscosity Explosive properties Oxidizing properties	

SECTION 10: Stability and reactivity

10.1 Reactivity

Not reactive

- 10.2 Chemical stability Stable
- **10.3 Possibility of hazardous reactions** not established
- **10.4 Conditions to avoid** not established
- **10.5** Incompatible materials not established
- **10.6 Hazardous decomposition products** not established

SECTION 11: Toxicological information

Information on toxicological effects

Acute toxicity LD50: 4,400 mg/kg (rat)

Skin corrosion/irritation not established

Safety Data Sheet Grey BL Dye

Serious eye damage/irritation not established

Respiratory or skin sensitization not established

Germ cell mutagenicity not established

Carcinogenicity not established

Reproductive toxicity not established

STOT-single exposure not established

STOT-repeated exposure not established

Aspiration hazard not established

SECTION 12: Ecological information

Toxicity not established

Persistence and degradability not established

Bioaccumulative potential not established

Mobility in soil not established

SECTION 13: Disposal considerations

Disposal of the product

Consult appropriate federal and local regulations for disposal. Empty containers are subject to the same regulations.

Disposal of contaminated packaging

Consult appropriate federal and local regulations for disposal. Empty containers are subject to the same regulations.

SECTION 14: Transport information

DOT (US) Not dangerous goods

IMDG Not dangerous goods IATA Not dangerous goods

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

Massachusetts Right To Know Components Chemical name: Chromium CAS number: 7440-47-3

New Jersey Right To Know Components Common name: CHROMIUM CAS number: 7440-47-3

Pennsylvania Right To Know Components Chemical name: Chromium CAS number: 7440-47-3

HMIS Rating

Grey BL Dye		
HEALTH	0	
FLAMMABILITY	1	
PHYSICAL HAZARD	0	
PERSONAL PROTECTION	G	

NFPA Rating



SECTION 16: Other information

16.1 Further information/disclaimer

DISCLAIMER: The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigation to determine the suitability of information for their particular purposes. In no event shall Caswell Inc be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, whatsoever arising, even if Caswell Inc has been advised of the possibility of such damages.